



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/848,706	05/02/2001	Qian Zhang	MS1-716US	7941	
22801 7	7590 09/09/2004		EXAMINER		
LEE & HAYES PLLC			LIN, KELVIN Y		
421 W RIVERSIDE AVENUE SUITE 500 SPOKANE, WA 99201		500	ART UNIT	PAPER NUMBER	
,,			2142	2142	
			DATE MAILED: 09/09/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	09/848,706	ZHANG ET AL.			
Office Action Summary	Examiner	Art Unit			
	Kelvin Lin	2142			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period was Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) ☐ Responsive to communication(s) filed on 31 Au 2a) ☐ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ⊠ Claim(s) <u>1-33</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-33</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9)☐ The specification is objected to by the Examine	r. ·				
10)⊠ The drawing(s) filed on <u>02 May 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Ex					
Priority under 35 U.S.C. § 119		•			
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the attached detailed Office action for a list of the certified copies 	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892) 0	4) Interview Summary				
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate ratent Application (PTO-152)			

Art Unit: 2142

Detailed Action

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 2. Claims 1-5, 8-15, 18-21, and 25-33 are rejected under 35 USC 102(e) as being anticipated by Zombek et al., (PG PUB 2002/0032232).
- 3. Regarding claim 1, Zombek teaches a system comprising:
 - a network server, to provide media content on request through a wireline network (Zombek, [0021], I. 9-21)
 note: henceforth, the line number is starting from 1 at each section.
 - a wireless host, to request media content through
 a wireless network (Zombek, [007], I.1-3,[0018], I.12-15); and
 - a network gateway, coupled to each of the server and
 the wireless host, to establish a communication channel from the

Art Unit: 2142

server to the wireless host through both the wireline network and the wireless network, wherein the communication channel includes a transport layer protocol with control parameters for each of the wireline network and the wireless network (Zombek, [0021], I.9-11).

- 4. Regarding claim 2, Zombek further discloses a system according to claim 1, wherein the transport layer protocol of the communication channel enables the network gateway to distinguish transmission problems occurring within either network component of the communication channel (Zombek, [0018], I.12-22).
- 5. Regarding claim 3, Zombek further discloses a system according to claim 1, wherein the network server comprising:
 - A transmission rate controller to receive media content from an application and control transmission over the wireline network (Zombek, [0183], I.1-4,[0606], I.1-7); and
 - A congestion controller, to receive congestion control indication
 from the network gateway in the transport protocol, estimate the
 available bandwidth over the network, and to instruct the
 transmission rate controller to adjust the transmission rate
 accordingly (Zombek, [0435], I.13-15).
- 6. Regarding claim 4, Zombek further discloses a system according to claim 1, the network server further comprising:

Art Unit: 2142

- An application error control interface, to receive a bit-error rate (BER)
 control parameter from the network gateway via the transport protocol denoting the bit-error rate (BER) experienced at the wireless host
 (Zombek, [0433], I.6-11); and
- A partial checksum generator, responsive to the application error control
 interface, to generate checksum of a dynamically selected amount of the
 requested content for inclusion in at least a subset of transmitted frames
 for error control purposes based, at least in part, on the received BER
 control parameter (Zombek, [0011], I.9).
- 7. Regarding claim 5, Zombek further discloses a system according to claim 4, the partial checksum generator includes more data in the partial checksum when the BER increase, less data when the BER decreases (Zombek, [0175], I.1-3, "...segments size can be segmented into multiple message segments...", for each partial segments the partial checksum will be calculated by the checksum function, therefore when BER increase, the retransmission will be increased, and the retransmission decrease when BER decrease).
- 8. Regarding claim 8, Zombek further discloses a system according to claim 1, the wireless host comprising:
 - A header analyzer, to analyze at least a partial checksum in a header of a received frame of media content to determine whether an accurate frame was received (Zombek, [0209], [0210], [0211], [0212]); and

Art Unit: 2142

 A bit error rate (BER) controller, coupled to the header analyzer, to generated a BER control parameter for the network gateway via the transport layer protocol denoting a running average of accurately received frames (Zombek, [0553], I.5-11).

- 9. Regarding claim 9, Zombek further discloses a system according to claim 1, the Network gateway comprising:
 - A congestion monitor, to monitor congestion of the communication channel, and to issue a congestion control parameter to the network server via the transport layer protocol (Zombek, [0435], I.14-15).
- 10. Regarding claim 10, Zombek further discloses a system according to claim 1, the network gateway comprising:
 - A buffer, to receive frames of media content from the network server
 via the wireline network component of the communication channel,
 and to selectively provide frames of the received media content to the
 wireless host via the wireless network component of the
 communication channel (Zombek, [0008], I.12-14).
- 11. Regarding claim 11, Zombek further discloses a system according to claim 10, the network gateway further comprising:
 - A weighted scheduling module, coupled to the buffer, to schedule delivery of media content from the buffer to the wireless host based on their priority (Zombek, [0005], I.1-4, [0215], I.14-18).
- 12. Regarding claim 12, Zombek further discloses a system according to claim 10,

Art Unit: 2142

the network gateway further comprising:

- One or more retransmission modules, coupled to the buffer, to receive on or more of a negative acknowledgement (NACK) control parameter and/or a fading control parameter and determine whether the requested retransmission of one or more frames can be accommodated (Zombek, [0008], I.20-25, [0186], I.1-11)
- 13. Regarding claim 13, Zombek further discloses a system according to claim 12, Wherein the one or more retransmission modules determine whether the requested retransmission may occur by determining whether a start frame, identified within the received control parameter, is available within the buffer (Zombek, [0185], I.1-12).
- 14. Regarding claim 14, Zombek further discloses a system according to claim 1, wherein the transport layer protocol comprises:
 - A congestion control parameter, generated by the network gateway in response to congestion detected along the communication channel (Zombek, [0433], I.1-5, [0435], I.12-16].
- 15. Regarding claim 15, Zombek further discloses a system according to claim 1, wherein the congestion control parameter is sent to the server for purpose of throttling transmission of the media content (Zombek, Fig. 6B).
- 16. Regarding claim 18, Zombek further discloses a system according to claim 1, wherein the transport layer protocol comprises:

Art Unit: 2142

- A negative acknowledgment (NACK) control parameter, generated by the wireless host to denote one or more frames of media content received with an unacceptably high bit-error rate (BER) (Zombek, [0433], I.6-11).
- 17. Claim 19 has similar limitation as claim 1. Therefore, claim 19 is rejected under Zombek for the same reason set forth in the rejection of claim 1.
- 18. Claim 20 has similar limitation as claim 3. Therefore, claim 20 is rejected under Zombek for the same reason set forth in the rejection of claim 3.
- 19. Claim 21 has similar limitation as claim 14. Therefore, claim 21 is rejected under Zombek for the same reason set forth in the rejection of claim 14.
- 20. Claim 25 has similar limitation as claim 18. Therefore, claim 25 is rejected under Zombek for the same reason set forth in the rejection of claim 18.
- 21. Regarding claim 26, Zombek further discloses a system according to claim 25, Further comprising:
 - Identifying whether the frame denoted in the NACK control parameter is still available in a buffer of received media content (Zombek, [0552], I.1-5);
 - Calculating a delay measure when a NACK control parameter is received (Zombek, [0010], I.21-24); and
 - Retransmitting the frame from the buffer to the wireless host if if is identified within the buffer (Zombek, [0435], I.1-4);

Art Unit: 2142

The delay measure not exceeding a threshold (Zombek, [0183], I.1 5).

Page 8

- 22. Regarding claim 27, Zombek further discloses a system according to claim 25, wherein calculating the delay measure comprises:
 - Identifying the start time of the frame denoted in the NACK control parameter (Zombek, [0128], I.9-11); and
 - Subtracting the start time from the current project time to quantitatively measure what kind of delay would be incurred by retransmitting the lost frames (Zombek, [0183], I.5-9).
- 23. Regarding claim 28, Zombek further discloses a computer-readable medium having computer-executable instructions that, when executed by a computer, performs the method as recited in claim 19 (Zombek, [0036], I.10-21).
- 24. Claim 29 has similar limitation as claim 28. Therefore, claim 29 is rejected under Zombek for the same reason set forth in the rejection of claim 28.
- 25. Claim 30 has similar limitation as the combination of claims 3, 6, and 8.
 Therefore, claim 30 is rejected under Zombek for the same reason set forth in the rejection of claims 3, 6, and 8.
- 26. Claims 31 and 32 have similar limitation as claims 28-29. Therefore, claims 31-32 are rejected under Zombek for the same reason set forth in the rejection of claim 28-29.
- 27. Claim 33 has similar limitation as claim 1. Therefore, claim 33 is rejected under Zombek for the same reason set forth in the rejection of claim 1.

Art Unit: 2142

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 28. Claims 6-7, 16-17, 22-24 are rejected under 35 USC 103(a) as being unpatentable over Zombek as applied to claim 1 above, and further in view of Liao et al., (PG PUB 2002/0097722).

Zombek differs from the claimed invention in that it fails to specify fading timeout Monitor. Liao teaches the system to identify degradation in transmission quality in the wireless network component resulting from fading and/or multipath conditions, and to issue a fading condition control parameter to the network gateway via the transport layer protocol (Liao, [0104], I.1-11).

It would have been obvious to one of ordinary skill in art at the time the invention was made to combine the teaching of Liao with the system of fading monitor, since Liao teaches the transport layer protocol header in a speedy, efficient way that increase the network throughput.

29. Claims 22-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zombek and Liao as applied to claims 6-7, 16-17 above.

Conclusion

The prior art made of record and not relied upon is considered pertinent to application's disclosure.

- Sen et al., (Patent No. 6208620) TCP-aware Agent Sublayer (TAS) for Robust TCP Over Wireless.
- Clubb et al., (PG PUB No. 2001/0037358) System and Method to
 Publish Information from Servers to Remote Monitor Devices.
- Hagen Alexander, (PG PUB 2002/0075844) Integrating Public and Private Network Resource for Optimized Broadband Wireless Access and Method.
- Bonefas et al., (PG PUB No. 2002/0052968) Messaging Method and Apparatus for Routing Messages in a Client Server Environment over Multiple Wireless and Wireline Network
- Larzon IEEE International Workshop on Mobile Multimedia
 Communication, Efficient use of Wireless Bandwidth for Multimedia
 Application.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kelvin Lin whose telephone number is 703-605-1726. The examiner can normally be reached on Flexible 4/9/5.

Application/Control Number: 09/848,706 Page 11

Art Unit: 2142

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Harvey can be reached on 703-305-9705. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kyl 8/31/04